Journal of Orn olo

ISSN 2193-7192




Your article is protected by copyright and all rights are held exclusively by Dt. **Ornithologen-Gesellschaft e.V.. This e-offprint** is for personal use only and shall not be selfarchived in electronic repositories. If you wish to self-archive your article, please use the accepted manuscript version for posting on your own website. You may further deposit the accepted manuscript version in any repository, provided it is only made publicly available 12 months after official publication or later and provided acknowledgement is given to the original source of publication and a link is inserted to the published article on Springer's website. The link must be accompanied by the following text: "The final publication is available at link.springer.com".



G АДА Т СДЕ

$\circ -\circ = 1 $ $1 $ $1 $ $1 $ $1 $ $1 $ $1 $ $1 $	38	J0, 2.6 ↓ <i>11</i> ,
▼ 6,9 ^t ,0 1 2 ^t b ^t .	110	do T.
В ј0 о	¥5 į t	t v ₅ t t
$ \begin{array}{c} \mathbf{B} 10 \\ (\mathbf{E} 10 1^{t} 2010), t \\ 10 0 t \\ 1 \\ \end{array} $	0	T jo <u>f</u> t
$\mathbf{u}^{T} \circ \mathbf{v}^{T}$	t ita a	t 6540 v
t t		ť

0 0 🖌	r r d	Ix I T	Y5
🔺 o o 🐧 🕺	, µ 0 , ∖∎o		^ເ ຈຸ 1
i qj0	t _{1.} t 7570 1	o t	പറപ്ര വിവന
ן הי <u>ו</u>		1 5 50	ojoţĺ
o $t_{15}t_{1}$, ד דא	0 1 o	শিউদ্ধি
T	JO	মন্ত <i>II</i>	r 70
t ti	o ^t Plasmodium	n ₹ ^t Haemop	roteus.
t a l	🦽 օ գլ0	o b	, 1
	t	ť	t



95 $\forall 5 \forall 0 i$ (29%) o 18 (42%) \forall Haemoproteus 55 $\forall 5 \forall 0 i$ (17%) o 18 (42%). Plasmodium o $a \circ 0$ Haemoproteus o i (a i, p < 0.01). $a \circ 0$ $\forall 5 \forall 0 i$, 20 $\forall (14\%) a$ i

Table 2 D	10 o o	1		0 0	Ĵ.	1 jou 🛋 10	t o					
S GT		1	0700	0704	<u></u>	GUILAEDI	CHHAODI	0745	0700	0705	¥77 10 4	
	OZ01	OZ14	OZ08	OZ06	GAM06	CHI35PL	CHI09PL	OZ45	OZ09	OZ25	YU01	Unk I
A. G (19)												
A. (5)	1				1		1					
BGG (5) BHC (6)	1				1							
BTC (0) B T H (8)	1	1										
CA (16)	1	1					1					
CH _S (3)							-					
C G (3)												
C E (32)	1	1		5								
EABQ(4)		1										
EAT (3)												1
F _S (27)	9	1			1			1				
H F (4)	1		1									
H s ⁽¹²⁾	1											
B (50)	25	6								1		1
CA (36)	6	2				2						2
(9)		2									1	
(2)	1											
E (1)												
BD(3)	1	1		1								2
S S (5)	3	2										2
S S ⁽¹⁾ Τ Τ (1)												
E (8)									1			
BCH (29)	4	1	16					1	-			
To 1	54	18	17	6	2	2	2	2	1	1	1	6
		1										To Í
S COT	t		DAGI	07	10	A 1.5 52	1.05	10 01	1.00	TR 0.4		_t
	03	CH 20 A	DA01	07	49	A15 53	A05	12 CH	H 08 A	t 24	Н	Р Н
A. G (19)			1									0 1
M ? (5)	1				1	1						1 2
BGG (5)												2 (
BHC (6)	1			1			•					0 2
B T H (8)	1						2					2 2
CA (16)	1				2							1
CH _S (3) C G (3)	2				2							0 2 0 2
C C E (32)	2											7 (
EABQ(4)	2											1 2
EABL(4) EAT (3)	2	2			1	1						1 3
F_{S} (27)		-				1				1		12 2
H F (4)						-						2 (
H_{S} (12)		1										1
B (50)		1										33
CA (36)	23	2	1								1	12 27
M F (9)	1		2					1				3 4
(2)						1						1 1

🖄 Springer

οĺ

s	ro	ł	, ¹												Toj I	
		03	CH 20 A	DA01	07	49	A15	53	A05	12	CH 08 A	T	24	Н	P	Н
Е	(1)									1					0	1
]	BD(3)														3	0
s s	(5)														7	0
S S	s ⁽¹⁾				1										0	1
τŤ	(1)	1													0	1
Е	(8)														1	0
BC	CH (29)														22	0

Host specificit²

 $o^{V_5} = 22$ b^{1} a = 144 = 111Plasmodium t = 111 Haemoproteus. Plasmodium ^t 🛪 11 22 T 🖉 i , 16 (73 %) o Y5 **3**0 i . 16 i t Í ~**™** -161 t o au tot ot t 🦷 13 (81 %) ^t t. 0 =22 = 3.5; 7 1^t-12). E o^t aj0 t o ĺo 0 T 🖉 o lo t)o o (31) Тбтоі. Њ (6 Í 0, 8 , 17 75701 0 A _o t ₹ [¥]5 ĺ t (f 1 2). T 1 t 15 10 I 🖉 о 📡 х 🦹 0 ^t $\mathbf{T}, \mathbf{t} \mathbf{q} \mathbf{0} \mathbf{T} \mathbf{4} \mathbf{4}$ o t o T 7 o 37.T 37^t t t 🛪 114 -0 t. t (T 1 3), qu0 o 05 5 0 ť ĺ ĺ (CH 35 D) ο. t_o 5 o 1 7 0 0¹5 ^t Ato 1 (14) 15 L X TA o (25 % o o l 🏨 7 0 t t_{o)}. ß t i o t 0 JO It ť ₁₄ 🔺 x ^t 7 o 🖞 🐪 o t (.A. Éll, ĺ οĺ 0 0 ^t/_{5 o^t}). 14 đ 7 7 Ì 0 ot 0 ttt t ovs T 0 J0 Hu0 S (Sturnus

Disc ssion

QIO 🛪 22 🛪 🖌 O O 🐧 t t TT 0 Y5 I t Tty5 t t t or z, 1 45 t o 450 A ۳ 0 ل J0t t^{o o} 0 Y5 Ÿ \5 I O FF 15 Ндоо 🏹 51 a0 🎽 o 🕷 7 **TI** 0 , 0 1 ot 15 0 77 0 0 15 d 1\5 ĺ, **j**0 t_{ox} t 0 0 *l.* 2011), ^t t q0/n tys (\mathbf{p}) ti qu0 T. H **QI**0 a o go u t t ٩o 1 \5 1 o o t o, , \[] ť 80 b 0 o 10 o att ot 1 75701-1451 7t 17 -1151 ť tat o o

Host life histor 2 traits and infection pre²_ralence

о 🗸 0ю 1 0 10 7 75701-1451 t (..., o^t x., toqu0o b = 0 (0) (0), 0 t t 7 15 70 1-1 15 1 0 **л**О jon tt tot t x 1 🔺 o b 🥆 t to o ť 0 ť aj0 🛪 Y5 1 -1 15 1 t њt <u>\</u>5, Y5 tt 1 đb t 7 7 0 0 to the Txt 7 t $00^{t}00^{t}$ Y5 1 t Auố ∖ 0 o to 7 0 ť, o t tt ť t_o Y5 I 0 <u>10</u>ь TDo T (2000) to Bo t њ l.^t (2001); a10[M ο¹ Į0μ o 0 t ta q **J**0 ₹ t $t_{(D0 0 2004)}$ тť ъť t_o 0 7 Ø. *l.* (2014), ť ŋ t o **q**0 **∀** o Ĺ 0 0 Ì. 0 5 17 (2005),Y5 1 7 0 **J**O 🏹 **1**0 ∖ t JQ ⊅ 71 7 0 t^{o t} t.T ¥5 Í a0h **1**0 d ₽ 01 t-0 t t 6 00 0 al 10 10 و1 Ì i. 2005).t t (5 7 50 a Ĺ J0 o^V5^t √ o 0 it ting 15 j0 t o M 101 t 1€ 7, 10 7 35 0 a at t t t to o $\frac{15}{t}$ o x of ¥5 **µ**0 t



- 2010.0046

- 004-1757-2 1 A, B S, $\frac{1}{5}$ o¹ (2008) E o¹ E b í Bo í 21:979-987! b :10.1111/.1420-9101.2008.01545. 1 A, í E, í 0 G í (2011) D¹5 , b , T o¹ b¹ íí ¹5 ¹5 . B_{LS} 6:1-8. b :10.1371/o¹ í. o .0021905 1 o¹ , E A, H í (2013) T o o o o o ¹ b¹ íí ¹ b¹ o O E o¹ o¹ 45:149-166 t t 1 A í E (2014) S ¹ H E o¹ o¹ 45:149-166 t t 1 A í E (2014) S ¹ 5 H o o ¹ T 0 T o ¹ 5 í E⁵ 1 Bo í 27:2520-2528. b :10.1111/.12514